



The gy-Engineer ing-Environment
170 Devinagar, Valiyavila, Thirumala P.O
Thiruvananthapuram-695006 Ph:+919447068747, 9447621674,
email:aea@ottotractions.com, otenergy@gmail.com
www.ottotractions.com



PROVIDENCE WOMEN'S COLLEGE

**KOZHIKKODE** 

2021

Executed by



# GREEN AUDIT REPORT PROVIDENCE WOMEN'S COLLEGE CALICUT





Green Audit Report Providence Women's College Report No: EA 804 2021-September

#### **About OTTOTRACTIONS**

**OTTOTRACTIONS** established in 2005, is an organization with proven track record and knowledge in the field of energy, engineering, and environmental services. They are the first Accredited Energy Auditor from Kerala for conducting Mandatory Energy Audits in Designated Consumers as per Energy Conservation Act-2001. Government of Kerala recognized and appreciated **OTTOTRACTIONS** by presenting its prestigious **"The Kerala State Energy Conservation Award 2009"** for the best performance as an Energy Auditor.

#### **Acknowledgment**

We were privileged to work together with the administration and staff of Providence Women's College for their timely help extended to complete the audit and bringing out this report.

With gratitude, we acknowledge the diligent effort and commitments of all those who have helped to bring out this report.

We also take this opportunity to thank the bona-fide efforts of audit team for unstinted support in carrying out this audit.

We thank our consultants, engineers and backup staff for their dedication to bring this report.

Thank you.

B V Suresh Babu Accredited Energy Auditor AEA 33, Bureau of Energy Efficiency **Preface** 

Educational institutions always had an important leadership role in society in demonstrating

types of changes that used to occur with respect to the prime issues of the time. All around the

world, educational institutions are taking steps to declare themselves the next carbon neutral

school as a part of the global trend of becoming sustainable. In 2007, Victoria University School

of Architecture and Design declared themselves the first carbon neutral campus in the world

through the purchase of carbon credits. This concept is not a sustainable model as it does not

guarantee the capture of carbon forever and also it is expensive.

The potential for any academic institution- (may be a school in a remote village or a university in

an urban setting) - to become the driver for change is huge. Its role of practicing leadership in

its community can be utilized to encourage and influence carbon neutral living.

The biggest factors that contribute towards emission are Energy, Transportation and Waste.

Any reduction in the carbon emission by the above sectors, starts with the behavioral changes

(Low cost) and/or technological investments (High cost). In order to make these changes, the

students are to be educated properly on the concept of carbon neutral campuses and methods

to reduce it.

In India, the concept of carbon neutral campuses is gaining momentum. Green Audit in

Campuses measures the amount of Green House Gases (GHG) emissions produced as a result of

its operations through an accounting like inventory of all the sources of GHGs and carbon

sequestration in the school campus. Based on this, the total carbon footprint is estimated.

Measures are recommended to bring down the carbon footprint of the campus and to make it

a carbon neutral campus.

**B** Zachariah

**Director, OTTOTRACTIONS** 

#### **Contents**

Preface		
Acknowledgements		
Executive Summary		
Introduction	-	1-4
Methodology	-	5-10
Results and Discussions	-	11-21
Carbon mitigation plans	-	22-31
Conclusion	-	32-34
References	-	34-34
Technical Supplement		



#### Certification

#### This is to certify that

The data collection has been carried out diligently and truthfully;

All data monitoring devices are in good working condition and have been calibrated or certified by approved agencies authorised and no tampering of such devices has occurred;

All reasonable professional skill, care and diligence had been taken in preparing the audit report and the contents thereof are a true representation of the facts;

Adequate training provided to personnel involved in daily operations after implementation of recommendations; and

The green audit for the year 2020-21 has been carried out in accordance with the various rules and regulations in India.

This Certificate is issued to Providence Women's College, Kozhikkode on their request. Dated this 12<sup>th</sup> day of September 2021.

SURESH BABU B V

ACCREDITED ENERGY AUDITOR (AEA 33)

BUREAU OF ENERGY EFFICIENCY, GOVT OF INDIA





1

# Introduction





#### **Background**

All across the developed countries, educational institutions are now moving to a sustainable future by becoming carbon neutral and greener spaces. They are taking responsibility for their environmental impact and are working to neutralize those effects. To become carbon neutral, institutions are working to reduce their emissions of greenhouse gases, cut their use of energy, use energy efficient equipment, use more renewable energy, plant and protect green cover and emphasize the importance of sustainable energy sources. Institutions that have committed to becoming carbon neutral have recognized the threat of global warming and are therefore committing to reverse the trend. Studies on this line has not struck roots in most of the developing countries-especially among students.

The Sustainable Development Goals (SDGs), launched by the United Nations in 2015, are an excellent vehicle for driving this change. They represent an action plan for the planet and society to thrive by 2030. The SDGs provide a window of opportunity for creating multidimensional operational approaches for climate change adaptation. They address poverty, hunger and climate change, among other issues central to human progress and sustainable development, such as gender equality, clean water and sanitation, and responsible consumption and production.





The Green Audit of Providence Women's College, Calicut aims to assist campus to reduce their carbon footprint and educate tomorrow's leaders about strategies for carbon mitigation using their campus as a model. Also, this audit covers institutes responses towards SDGs by covering SDG 3,6,7,11,13,15. The green audit also aims to educate students and teachers on the concept of carbon footprint and to enable the students to collect data pertaining to the carbon



emissions and carbon sequestration in their campus and to calculate the specific carbon footprint of the campus.

The project also suggests plans to make the campus carbon neutral or even carbon negative by implementing carbon mitigation strategies in areas such as,

- a. Energy
- b. Transportation
- c. Waste minimisation
- d. Carbon Sequestration etc.

The major objectives of the audit are:

- To make aware students and teachers on the concept of carbon footprint.
- To calculate the specific carbon footprint of the campus and classify it as carbon negative, neutral or positive.
- To create carbon mitigation plans to reduce their footprint based on the data generated.

#### **Providence Women's College**

Providence Women's College, Calicut, Kerala, founded by the sisters of Apostolic Carmel came into being on 1st July, 1952. It was the sacred mission of Mother Veronica the foundress of the congregation to train young women who had embraced religious life and send them far and wide on vocations of service to the community. Providence Women's College was the result of the efforts of such a committed group, headed by Mother Gabrielle, who became the Founder Principal. This was a dream come true for the young women in the Malabar region who had to otherwise go as far as Mangalore or Madras in search of a women's college. Thus, this college opened a new chapter in the annals of Malabar, as its first women's college. The college is registered under the Apostolic Carmel Education Society, S No.4 of 1957, Calicut. The Managing Governing Body includes the Provincial Superior, Educational Secretary, the Principal, the Local Manager, a representative of the management and a religious staff nominated by the Provincial Superior.

Occupancy Details								
	2018-	2019-	2020-					
Particulars	19	20	21					
Total Students	1793	1778	1848					
Staffs	84	83	85					
Total Occupancy of the college	1877	1861	1933					



For calculating per capita carbon emission estimation, only the student strength is taken into account.

	BASELINE DATA SHEET FOR GREEN AUDIT									
1	Name of the Organisation	PROVIDENCE WOMEN'S COLLEGE								
2	Address (include telephone, fax & e-mail )	Providence College Rd, Malaparamba, Kozhikode, Kerala 673009,providencecollegecalicut@gmail.com								
2	Year of Establishment				1952					
3	Name of building and total No. of Electrical Connections/building				HT (1)					
4	Total Number of Students	Boys	1	Girls	-	Total	1848			
5	Total Number of Staff				85					
6	Total Occupancy	1933								
7	Total area of green cover (Acre)	37								
8	Type of Electrical Connection(nos)	HT	1	LT		0	1			
9	Contract Demand (KVA) / Connection	70								
10	Average Maximum Demand (KVA)	57.75								
11	Total built up area of the building (m²)	21506								
12	Number of Buildings	7								
13	Average system Power Factor	0.94								
14	Details of capacitors connected				NA					
15	Transformer Details (Nos., kVA, Voltage ratio)	TR 1	TR 2	TR 3	TR 4	TR 5	TR 6			
		NA	NA	NA	NA	NA	NA .			
15	DG Set Details (kVA)	DG1	DG2	DG3	DG4	DG5	Remarks			
	, ,	10	NA	NA	NA	NA	-			
			ing		os.	R	Remarks			
16	Details of motors		0 10		Α		NA			
		10 to		1	Α		NA			
		Above 50 NA			Α	NA				
Brief write-up about the firm and the energy/environmental conservation activities already undertaken.  Installed 37kWp are used for cool				-	-	plant, B	iogas plants			
18	Contact Person & Telephone number	Principal								
10	Contact Person & Telephone number	0495 -	2371696	5						



2

## **METHODOLOGY**





#### 2.1. Sensitisation

Low Carbon campus initiatives are successful when everyone in the campus is engaged including students, teachers and staff. A team of students, teachers and staff were formed to participate in the audit. A sensitisation among students and teachers on the concept of carbon footprint was conducted.



During the audit the students and staffs were sensitised on the project and trained to be a part of the data collection team. This helped in conducting the survey in a participatory mode so that the awareness will penetrate to the grass root level. During the data collection field visit it was stressed that the team will spread these ideas to their homes and friends. This will help in a horizontal and vertical spread of the message to a wider group. It is assumed that through 1861 occupants of this campuses will reach same number of households. This message will spread to at least 7444 individuals approximately.

#### 2.2 Estimation of carbon footprint

A carbon footprint is the amount of greenhouse gases—primarily carbon dioxide—released into the atmosphere by a particular human activity. A carbon footprint can be a broad measure or be applied to the actions of an individual, a family, an event, an organization, or even entire nation. It is usually measured as tons of  $CO_2$  emitted per year, a number that can be supplemented by tons of  $CO_2$ -equivalent gases, including methane, nitrous oxide, and other greenhouse gases.



Global Warming Potential (GWP) is a measure of how much heat a greenhouse gas traps in the atmosphere up to a specific time horizon, relative to carbon dioxide. The Global Warming Potential (GWP) was developed to allow comparisons of the global warming impacts of different gases. Specifically, it is a measure of how much energy the emissions of one ton of a gas will absorb over a given period of time, relative to the emissions of one ton of carbon dioxide  $(CO_2)$ .


Global Warming Potentials (IPCC Second Assessment Report)										
	Chemical		Glob	al Warı	ming					
Species	formula	Lifetime (years)	20	100	500					
	TOTTITUIA		years	years	years					
Carbon dioxide	CO2	variable §	1	1	1					
Methane *	CH4	12±3	56	21	6.5					
Nitrous oxide	N2O	120	280	310	170					
HFC-23	CHF3	264	9100	11700	9800					
HFC-32	CH2F2	5.6	2100	650	200					
HFC-41	CH3F	3.7	490	150	45					
HFC-43-10mee	C5H2F10	17.1	3000	1300	400					
HFC-125	C2HF5	32.6	4600	2800	920					
HFC-134	C2H2F4	10.6	2900	1000	310					
HFC-134a	CH2FCF3	14.6	3400	1300	420					
HFC-152a	C2H4F2	1.5	460	140	42					
HFC-143	C2H3F3	3.8	1000	300	94					
HFC-143a	C2H3F3	48.3	5000	3800	1400					
HFC-227ea	C3HF7	36.5	4300	2900	950					
HFC-236fa	C3H2F6	209	5100	6300	4700					
HFC-245ca	C3H3F5	6.6	1800	560	170					
Sulphur hexafluoride	SF6	3200	16300	23900	34900					
Perfluoromethane	CF4	50000	4400	6500	10000					
Perfluoroethane	C2F6	10000	6200	9200	14000					
Perfluoropropane	C3F8	2600	4800	7000	10100					
Perfluorobutane	C4F10	2600	4800	7000	10100					
Perfluorocyclobutane	c-C4F8	3200	6000	8700	12700					
Perfluoropentane	C5F12	4100	5100	7500	11000					
Perfluorohexane	C6F14	3200	5000	7400	10700					

The methodology for carbon footprint calculations are still evolving and it is emerging as an important tool for green house management. In the present study carbon emission data from the campus is estimated under four categories viz.

- a. Energy
- b. Transportation
- c. Waste minimisation
- d. Carbon Sequestration



Carbon neutrality refers to achieving net zero GHG emission by balancing the measured amount of carbon released into atmosphere due to human activities, with an equal amount sequestrated in carbon sinks. It is crucial to restrict atmospheric concentrations of GHGs released from various socio-economic, developmental and life style activities using biological or natural processes. It is recognized that addressing climate change is not as simple as switching to renewable energy or offsetting GHG emissions. Rather, providing an opportunity for innovation in new developmental activities for viable and effective approach to address the problem.



#### **Energy**

In the campus carbon emission from energy consumption is categorised under two headings viz. energy from Electrical and Thermal. Energy used for transportation is calculated under transportation sector.



A detailed energy audit is conducted to understand the energy consumption of the campus. Information on total connected loads, their duration of usage and documents like electricity



bills are evaluated. Connected loads are calculated by conducting a survey on electrical equipment on each location. Duration of usage was found out by surveying the users. The survey of equipment was conducted in a participatory mode.

The fuel consumption for cooking, like LPG, was studied by analysing the annual fuel bills and usage schedules during the study. Discussions were carried out with the concerned individuals who actually operate the cooking system.

#### **Transportation**

There is no vehicles operates from campus for its logistics.

Carbon emission from transportation to be calculated by using the following formula:

Carbon Emission = Number of each type of vehicles × Avg. fuel consumed per year ×

Emission factors (based on the fuel used by the vehicle)

#### Waste Minimisation


The waste generated from the campus is also responsible for the greenhouse gas emission. So, in order to calculate the total carbon foot print of the campus it is necessary to estimate the greenhouse gas emission from the waste generated in the campus by the activity of the students, teachers and staffs.

The calculation of the waste generated has been conducted by keeping measuring buckets for collecting the waste generated in a day. This waste so generated was calculated by weighing it.

#### **Carbon Sequestration**

Carbon sequestration is the process involved in the long-term storage of atmospheric carbon dioxide. Trees remove carbon dioxide from the atmosphere through the natural process of photosynthesis and store the carbon in their leaves, branches, stems, bark, and roots.






Carbon sequestrated by a tree can be found out by using different methods. Since this study is employed the volumetric approach, the calculation consists of five processes.

- Determining the total weight of the tree
- Determining the dry weight of the tree
- Determining the weight of carbon in the tree
- Determining the weight of CO<sub>2</sub> sequestrated in the tree
- Determining the weight of CO<sub>2</sub> sequestrated in the tree per year

Detailed calculations and results are given in the technical supplements of this document.



# 3 RESULTS AND DISCUSSIONS





#### 3.1 CARBON FOOTPRINT ESTIMATION

#### **3.1.1 ENERGY**

#### a. Electricity

Electricity is purchased from KSEB from one HT Connection, the details are given below.

	Electricity Connection Details										
	PROVIDENCE WOMEN'S COLLEGE										
	Name of the Consumer	PROVIDENCE WOMEN'S COLLEGE									
1		Providence College Rd, Malaparamba, Kozhikode, Kerala 673009,providencecollegecalicut@gmail.com									
2	Tariff	HT II(A) GENERAL									
3	Consumer Number	1365980025581									
5	Connected Load Total	50kVA									
6	Annual Electricity Consumption (kWh)	122273									

#### Electricity Bill Analysis (from 2018 to 2021)

	Electricity Bill Details (2021-22)												
	Nam	ne of the	Consu	mer	PROVIDENCE WOMEN'S COLLEGE								
	Contra Deman	ct d(kVA)	5	<b>50</b>	Consumer number &			1365980025581					
Month	Tariff		HT II(A) GENERAL		Section		Karaparamba						
	kWh				kVA			PF	PF	PF	Rs	Rs/kwh	
	Z1	Z2	Z3	Total	Z1	Z2	Z3	PF	Incentive	Penalty	(Total)	KS/KWII	
Apr	3408	1610	2712	7730	31.93	26.67	28.48	0.9	1099.98		63803.04	8.25	
May	369	1008	1906	3283	22.06	25.93	15.73	0.91	370.78		35325.19	10.76	
Jun	0	473	1430	1903	27.44	14.28	15.37	0.89	349.27		25461.33	13.38	
Jul	411	764	1327	2502	21.73	16.78	15.39	0.89	500.24		30378	12.14	
Aug	1710	878	1567	4155	312	16.61	15.66	0.92	352.99		40437.13	9.73	
	1	1						1					
Sep													



	Electricity Bill Details (2020-21)													
	Nan	ne of the	Consur	ner		PROVIDENCE WOMEN'S COLLEGE								
	Contra Deman		5	0	Consumer number &				1	365980025	5581			
Month	Tariff			II(A) ERAL	Section					Karaparan	nba			
		kW	/h			kVA		PF	PF	PF	Rs			
	<b>Z</b> 1	Z2	Z3	Total	<b>Z</b> 1	Z2	Z3	PF		Incentive	Penalty	(Total)		
Apr	2398	1513	2535	6446	39.84	26.52	20.57	0.94		183.93	56047.18	8.7		
May	0	0	813	813	16.63	19.17	8.38	0.90		85.36	18003.05	22.1		
Jun	0	0	1521	1521	15.39	22.39	14.94	0.91		127.76	21428.91	14.1		
Jul	835	715	1140	2690	21.19	10.57	10.37	0.89		541.45	31685.7	11.8		
Aug	766	769	1272	2807	20.05	17.01	11.1	0.88		724.12	32753.06	11.7		
Sep	152	588	955	1695	19.15	16.4	6.59	0.83		931.13	25815.05	15.2		
Oct	1735	1227	1934	4896	22.9	20.18	16.61	0.92		422.18	45936.46	9.4		
Nov	2195	1415	2344	5954	22.95	21.95	22.27	0.91		680.46	52361.35	8.8		
Dec	2038	1047	1725	4810	25.68	21.27	18.41	0.89		960.84	45217.14	9.4		
Jan	1483	839	1208	3530	22.42	17.83	14.41	0.85		1531.95	38171.71	10.8		
Feb	2744	1144	1622	5510	29.74	24.81	14.42	0.87		1748.36	50836.35	9.2		
Mar	2874	1339	2038	6251	29.76	25.75	19.2	0.89		1256.56	55096.93	8.8		

					Elect	ricity Bi	ll Details	5 (2019-	20)					
	Nar	ne of the	e Consu	mer	PROVIDENCE WOMEN'S COLLEGE									
	Contra Deman	ct id(kVA)	5	50		Consumer number &			1365980025581					
Month	Tariff		HT II(A) GENERAL		Section				Karaparamba					
	kWh					kVA		PF	PF	PF	Rs	Rs/kwh		
	<b>Z</b> 1	Z2	Z3	Total	Z1	Z2	<b>Z</b> 3	FF	Incentive	Penalty	(Total)	N3/KWII		
Apr	7335	1594	2998	11927	40.62	20.24	24.28	0.95	-1616.56		88128.15	7.38896202		
May	3596	913	1613	6122	31.23	18.87	16.32	0.91	-166.73		55217.31	9.01948873		
Jun	2861	550	1049	4460	23.1	13.89	7.98	0.87	724.59		45799.23	10.2688857		
Jul	5952	1274	2041	9267	43.03	28.83	15.47	0.95	-1268.16		73508.4	7.93227582		
Aug	7605	1852	3031	12488	42	30	21	0.95	-669.71		96066.16	7.69267777		
Sep	6624	1690	2742	11056	44.2	25.01	19.78	0.96	-314.03		88393.85	7.99510221		
Oct	6222	1520	2418	10160	49.76	26.63	24.52	0.97	-577.67		82829.81	8.15254035		
Nov	8242	1944	3148	13334	48.52	29.61	23.44	0.96	-378.53		102611.9	7.69550472		
Dec	9349	2085	3532	14966	57.75	23.7	24.11	0.97	-847.03		114160.2	7.62797007		
Jan	6705	1557	2639	10901	47.93	24.59	23.18	0.96	-308.55		87455.64	8.02271718		
Feb	5904	1959	3283	11146	47	31	22	0.91	1266.13		88572.04	7.94653149		
Mar	2398	1513	2535	6446	39.84	26.52	20.57	0.94	183.93		56047.18	8.69487744		



					Elect	ll Detail	s (2018	3-19)					
	Nam	e of the	Consu	mer	PROVIDENCE WOMEN'S COLLEGE								
	Contra Deman	tract nand(kVA) 50			Consu	mer nur	nber &			13659800	25581		
Month	Tariff HT II(A) GENERAL		Section			Karaparamba							
	kWh				kVA		PF	PF	PF	Rs	Rs/kwh		
	Z1	Z2	Z3	Total	<b>Z</b> 1	Z2	Z3	FF	Incentive	Penalty	(Total)	K5/KWII	
Apr													
May													
Jun													
Jul													
Aug													
Sep													
Oct													
Nov													
Dec													
Jan	5761	1414	2462	9637	40.56	22.79	20.74	0.94	-1050.68		75527.54	7.83724603	
Feb	5657	1346	2312	9315	40.41	20.86	22.63	0.93	-762.21		73916.07	7.93516586	
Mar	6767	1599	2719	11085	46.81	21.34	18.5	0.95	-1512.64		83665.71	7.54765088	

#### b. Diesel

Diesel Consumption Details								
Year	in L	Rs						
16-17	58.5	3800						
17-18	357.1	25000						
18-19	145.4	12356						
19-20	59.9	5394						
20-21	0	0						

#### c. LPG

LPG Consumption in college								
Year	Cost	Consumption (kg)						
18-19	9365	177.935						
19-20	4224	80.256						
20-21	4650	73.625						

LPG Consumption in Hostel						
Year	Consumption (kg)					
18-19	1368					
19-20	1414					
20-21	456					



Base Line Energy Data									
	PROVIDENCE WOMEN'S COLLEGE								
	2018-19 2019-20 2020-2								
1	Electricity KSEB (kWh)	102126	103932	39885					
2	Electricity Solar - Off grid (kWh)	47268	47268	47268					
3	Electricity (KSEB + Off grid) kWh	149393	151200	87152					
4	Electricity Grid Tied (kWh)	0.00	0.00	0.00					
5	Diesel (L)	145.36	59.93	0.00					
6	LPG (kg)	1546	1494	530					
7	Biogas(Kg)	20700	14490	18630					

Energy Consumption Profile									
Sl No	Fuel	2018-19	2020-21						
	Fuel	(kCal)							
1	Electricity	128478238	130031613	74950763					
2	Diesel	1526329	629300	0					
3	LPG	18551220	17926272	6355500					
4	Biogas	63000000	44100000.00	56700000.00					
Total (kCal)		211555787	211555787 192687185						
То	tal (kWh)	245995.1	224054.87	160472.399					

Thermal Fuel Consumption								
PROVIDENCE WOMEN'S COLLEGE								
	2018-19	2019-20	2020-21					
Annual LPG consumption in kg	1545.935	1494	529.625					
Annual Diesel consumption in L	145.36	59.93	0.00					
Annual petrol consumption in L	0.0	0.0	О					
Annual Biogas consumption in m <sub>3</sub>	18000	12600	16200					



#### **Specific Energy Consumption**

	OTTOTRACTIONS- ENERGY AUDIT									
	PROVIDENCE WOMEN'S COLLEGE									
	Energy Performance Index (EPI)									
Sl No	Particulars	2018-19	2019-20	2020-21						
1	Total building area (m²)	21506	21506	21506						
2	Annual Energy Consumption (kCal)	211555787	211587185	144306263						
3	Annual Energy Consumption (kWh)	245995.1	246031.6	167797.98						
4	Total Energy in Toe	21.16	21.16	14.43						
5	Specific Energy Consumption kWh/m²	11.44	11.44	7.80						

In 2020-21 the energy consumption was less due to lock down based on covid 19 pandemic. So the specific energy consumption in 2019-20 may be taken as benchmark.

#### 3.3. Waste Generation total

The major concern of waste management will be focused on the solid waste produced by the campus. Solid wastes produced in the campus are mainly of three types, food waste, paper waste, and plastic waste. Food wastes produced in the campus are mainly by two means. The vegetable wastes produced in the kitchen during the food preparation. The food waste produced by the students and staffs of the campus after the consumption of meals.





#### **Degradable Waste**

Degradable Waste Generation							
PROVIDENCE WOMEN'S COLLEGE							
	2018-19	2019-20	2020-21				
Total Occupancy	1877	1861	1933				
Waste generated in kg /day	37.54	46.525	15.464				
Waste generated in kg /Yr	4955.28	6141.3	2041.25				

#### Non-Degradable waste

Solid non degradable Waste Generation							
PROVIDENCE WOMEN'S COLLEGE							
2018-19 2019-20 2020-							
Total Occupancy	1877	1861	1933				
Waste paper generated in kg /day	0.38	0.41	0.19				
Waste plastic generated in kg /day	0.56	0.62	0.29				
Waste paper generated in kg /Yr	82.59	90.98	42.53				
Waste plastic generated in kg /Yr	123.88	136.47	63.79				

#### 3.4. Transportation

There is no bus operating from the college.

#### Carbon Emission Profile (2020-21)

Carbon emissions in the campus due to the day-to-day activities are calculated and is discussed below. The emission factors considered for estimation and its units are given.

Emission Factors								
Item	Factor	Unit						
Electricity	0.00079	tCo₂e/kWh						
LPG	0.0015	tCo₂e/kg						
Diesel	0.0032	tCo₂e/kg						
Petrol	0.0031	tCo₂e/kg						
Food Waste	0.00063	tCo₂e/kg						
Paper Waste	0.00056	tCo₂e/kg						
Plastic Waste	0.00034	tCo₂e/kg						



#### Carbon Foot Print 2020-21

	Carbon Foot Print										
Sl. No.	Particulars	2018-19	tCO2e	2019-20	tCO2e	2020-21	tCO2e				
1	Electricity (kWh)	102126	80.68	103932	82.11	39885	31.51				
2	Diesel (L)	145.36	0.47	59.93	0.19	0.00	0.00				
3	LPG (kg)	177.94	0.27	80.26	0.12	73.63	0.11				
4	Biogas (Kg)	20700.00	28.98	14490.00	20.29	18630.00	26.08				
5	Degradable Waste in kg/yr.	4955.28	3.12	6141.30	3.87	2041.25	1.29				
6	Paper Waste in kg/yr	82.59	0.05	90.98	0.05	42.53	0.02				
7	Plastic Waste in kg/yr	123.88	0.04	136.47	0.05	63.79	0.02				
Total	Carbon Foot Print tCO2e/yr		113.60		106.67		59.03				

#### 3.5. CARBON SEQUESTRATION

All the activities including energy consumption and waste management have their equivalent carbon emission and they positively contribute to the carbon footprint of the campus. Carbon sequestration is the reverse process, at which the emitted carbon dioxide will get sequestrated according to the type of carbon sequestration employed. Even though there are many natural sequestration processes are involved in a campus, the major type of sequestration among them is the carbon sequestration by trees.

Carbon Sequestration								
Particulars	2018-19	2019-20	2020-21					
Total number of trees	400	420	428					
Carbon sequestrated by trees in the campus (tCO2e)	2.49	2.65	3.32					

Trees sequestrate carbon dioxide through the biochemical process of photosynthesis and it is stored as carbon in their trunk, branches, leaves and roots. The amount of carbon sequestrated by a tree can be calculated by different methods. In this study, the volumetric approach was taken into account, thus the details including CBH (Circumference at Breast Height), height, average age, and total number of the trees, are required. Details of the trees in the campus compound are given in the Table 3.18. Detailed table is included in the technical supplement.



Carbon sequestrated by a tree can be found out by using different methods. Since this study is employed the volumetric approach, the calculation consists of five processes.

- Determining the total weight of the tree
- Determining the dry weight of the tree
- Determining the weight of carbon in the tree
- Determining the weight of CO<sub>2</sub> sequestrated in the tree
- Determining the weight of CO<sub>2</sub> sequestrated in the tree per year

Carbon sequestrated by each species of trees in the campus compound is given in the Table.3.19 Detailed calculation results are listed out in the tables provided in the technical supplements of 'Carbon sequestration'.

	Form 5									
		Circumf	Stem	Height	Total	Weight	No.of	Total	Carbon	Average
SI. No	Name of tree (Botanical name)	erence	diamete	of trees	weight	of	similar	carbon	Sequest	age
		(cm)	r(cm)	(m)	of tree	carbon	trees	sequest	rated by	(years)
1	Anacardium occidentale	36	11.46	2	10.90	0.00	10	0.045	0.004	6
2	Mangifera indica	32	10.19	3	12.92	0.01	25	0.133	0.005	7
3	Spoudias pinnata	30	9.55	4	15.14	0.01	1	0.006	0.006	8
4	Cananga odorata	26	8.28	5	14.22	0.01	1	0.006	0.006	9
5	Polyalthia longifolia	24	7.64	6	14.54	0.01	15	0.090	0.006	10
6	Alstonia macrophylla	22	7.00	7	14.25	0.01	2	0.012	0.006	11
7	Alstonia scholaris	28	8.91	6	19.79	0.01	1	0.008	0.008	12
8	Areca catechu	32	10.19	3	12.92	0.01	10	0.053	0.005	13
9	Caryota urens	20	6.37	5	8.41	0.00	1	0.003	0.003	14
10	Cocos nucifera	34	10.82	4	19.45	0.01	300	2.407	0.008	15
11	Chrysalidocarpus lutescens	25	7.96	3	7.89	0.00	1	0.003	0.003	16
12	Tecoma stans	31	9.87	2	8.09	0.00	2	0.007	0.003	17
13	Spathodea campanulate	39	12.41	5	31.99	0.01	3	0.040	0.013	18
14	Oroxylon indicum	21	6.68	6	11.13	0.00	1	0.005	0.005	19
15	Casuarina equisetifolia	24	7.64	4	9.69	0.00	4	0.016	0.004	20
16	Terminalia catappa	26	8.28	3	8.53	0.00	4	0.014	0.004	21
17	Muntingia calabura	37	11.78	4	23.04	0.01	3	0.029	0.010	22
18	Bridelia retusa	44	14.01	5	40.72	0.02	2	0.034	0.017	23
19	Mallotus tetracoccus	46	14.64	6	53.41	0.02	2	0.044	0.022	24
20	Phyllanthus acidus	37	11.78	5	28.80	0.01	1	0.012	0.012	25



21   Phylanthis emblica   35   11.40   4   20.61   0.01   2   0.007   0.009   26											
23 Abrus pricatorium	21	Phyllanthus emblica	35	11.14	4	20.61	0.01	2	0.017	0.009	26
Care	22	Macaranga indica	33	10.50	6	27.49	0.01	10	0.113	0.011	27
Commonweal   1948   1	23	Abrus pricatorium	36	11.46	5	27.26	0.01	2	0.022	0.011	28
15	24	Gliricidia sepum	39	12.41		19.20	0.01	25	0.198	0.008	29
186   Adenanthera pavonina	25			13.37		37.10	0.02		0.031	0.015	
27							0.01	2		0.007	
28 Butlea monosperma	27				6		0.02	1	0.024	0.024	
30   Delonix regia   31   9,87   4   16,77   0.01   5   0.033   0.007   34     31   Saraca asoka   26   8.38   5   14,22   0.01   1   0.006   36     32   Cassia fistula   25   7,96   2   5,26   0.00   3   0.007   0.002   37     33   Cassia siamea   21,5   7,16   5   10,65   0.00   5   0.02   0.004   38     34   Tamarindus indica   20   6,37   4   6,73   0.00   10   0.028   0.003   39     35   Peltophorum pterocarpum   77,5   5,57   3   3,87   0.00   10   0.016   0.006   0.004     36   Acacia caesia   26   8.28   5   14,22   0.01   1   0.006   0.006   41     37   Acacia auriculformis   28   8.91   6   19,79   0.01   2   0.016   0.008   42     38   Samania saman   32   10,19   4   17,23   0.01   5   0.096   0.009   44     40   Cinnamomum camphora   30   9,55   6   22,72   0.01   1   0.009   0.009   44     41   Strychnos nux-vomica   28   8.91   5   16,49   0.01   4   0.027   0.007   45     42   Magnolia nilgirica   35   11,14   4   20,61   0.01   1   0.009   0.009   47     43   Azadrachta indica   31   9,87   5   20,21   0.01   5   0.042   0.008   48     44   Cipadessa baccifera   31,4   9,99   6   24,89   0.01   1   0.009   0.009   47     45   Artocarpus incises   32,2   0.02   3   3   3,00   0.01   2   0.016   0.008   0.009   52     46   Artocarpus incises   32,2   0.02   3   3   3,00   0.01   2   0.010   0.009   0.009   52     47   Ficus auriculata   32,6   10,38   5   22,35   0.01   1   0.009   0.009   52     48   Ficus penghalensis   33,8   10,65   6   27,49   0.01   1   0.009   0.009   52     50   Myristica fragrans   34,2   10,89   6   29,52   0.01   1   0.008   0.008   57     50   Myristica fragrans   34,2   10,89   6   29,52   0.01   1   0.008   0.008   57     50   Myristica fragrans   34,2   10,89   6   29,52   0.01   1   0.006   0.006   58     50   Ficus racemosa   33,8   10,65   6   27,49   0.01   1   0.009   0.009   52     51   Myristica fragrans   34,2   10,89   6   29,52   0.01   1   0.006   0.006   58     52   Eucalphus globulus   34,6   11.01   4   20,55   0.01   1   0.006   0.006   57     53	28		29		2	7.08	0.00	1	0.003	0.003	
30   Delonix regia   33   10,50   3   31,74   0.01   1   0.006   0.006   35     31   Saraca asoka   26   8.28   5   14,22   0.01   2   0.012   0.006   35     32   Cassia fistula   25   7.76   2   5.26   0.00   3   0.007   0.002   37     33   Cassia sismea   22.5   7.16   5   10,65   0.00   5   0.022   0.004   38     34   Tamarindus indica   20   6.37   4   6.73   0.00   10   0.016   0.002   40     35   Peltophorum pterocarpum   77.5   5.57   3   3.87   0.00   10   0.016   0.002   40     36   Acacia caesia   26   8.88   5   14,22   0.01   1   0.006   0.006   41     37   Acacia caurculiformis   28   8.91   6   19,79   0.01   2   0.016   0.006   41     38   Samania saman   32   10,19   4   17,23   0.01   5   0.036   0.007   43     39   Climamomum camphora   30   9.55   6   22,72   0.01   1   0.009   0.009   44     40   Climamomum zeylanicum   24   7.64   3   7.27   0.00   4   0.012   0.03   45     41   Strychnos nux vomica   28   8.91   5   16,49   0.01   4   0.027   0.007   44     42   Magnolia nilgirica   35   11,14   4   20,61   0.01   1   0.009   0.009   47     43   Azadirachta indica   31   9.97   5   20,21   0.01   5   0.042   0.006   48     44   Cipadessa baccifera   31.4   9.99   6   24.89   0.01   1   0.010   0.010   49     45   Artocarpus heterophyllus   31.8   10.12   4   17,02   0.01   50   0.351   0.007   50     46   Artocarpus heterophyllus   31.8   10.12   4   17,02   0.01   50   0.351   0.007   50     47   Ficus auriculata   3.6   10,38   5   22,35   0.01   1   0.008   0.008   54     48   Ficus benghalenis   33   31,050   6   27,49   0.01   1   0.008   0.008   54     50   Ficus racemosa   33.4   10,63   4   18,77   0.01   1   0.008   0.008   54     51   Myristica fragrans   34.2   10.89   6   24,89   0.01   1   0.008   0.008   54     52   Eucahytus globulus   31.8   10.12   4   18,27   0.01   1   0.008   0.008   54     53   Eugenia acrophyllata   35   11.14   20.61   0.01   1   0.008   0.008   54     54   Ficus penghalenis   33   30,50   6   27,49   0.01   1   0.008   0.008   54     55   Eucahytu	29	•					0.01	5			
31   Saraca asoka   26   8.28   5   14,22   0.01   2   0.010   36     32   Cassia fistula   25   7.96   2   5.26   0.00   3   0.007   0.002   36     33   Cassia siamea   22.5   7.16   5   10.65   0.00   5   0.022   0.004   38     34   Tamarindus indica   20   6.37   4   6.73   0.00   10   0.028   0.003   39     35   Peltophorum pterocarpum   17,5   5.57   3   3.87   0.00   10   0.028   0.003   39     36   Acacia caesia   26   8.28   5   14,22   0.01   1   0.006   0.006   41     37   Acacia auriculformis   28   8.91   6   19,79   0.01   2   0.016   0.003   42     38   Samania saman   32   10.19   4   17.23   0.01   5   0.036   0.007   43     39   Ginnamomum camphora   30   9.55   6   22,72   0.01   1   0.009   0.009   44     40   Ginnamomum zeylanicum   24   7.64   3   7.27   0.00   4   0.012   0.003   45     41   Strychnos nux-vomica   28   8.91   5   16.49   0.01   4   0.027   0.007   45     42   Magnolia nilgírica   35   11.14   4   20.61   0.01   1   0.009   0.009   47     43   Azadrachta indica   31   9.87   5   20.21   0.01   5   0.042   0.068   48     44   Cipadessa baccifera   31.4   9.99   6   24.89   0.01   1   0.010   0.010   49     45   Artocarpus incises   32.2   10.25   3   3.09   0.01   2   0.011   0.001   0.010   49     46   Artocarpus incises   32.2   10.25   3   3.09   0.01   2   0.010   0.009   52     48   Ficus benghalensis   33   10.50   6   27.49   0.01   1   0.009   0.009   52     49   Ficus religiosa   33.4   10.69   4   18.77   0.01   1   0.001   0.011   5     50   Ficus racemosa   33.8   10.76   5   24.03   0.01   2   0.020   0.005   5     48   Ficus demonstrative   34.6   11.01   4   20.15   0.01   1   0.006   0.005   5     50   Eugenia caryophylluta   35   11.14   3   15.46   0.01   1   0.006   0.005   5     51   Myristic fragrams   34.2   10.89   6   29.52   0.01   1   0.006   0.005   5     52   Eucalyptus globulus   34.6   11.01   4   20.15   0.01   1   0.006   0.005   5     53   Myristic fragrams   34.2   31.80   0.01   2   0.01   5   0.005   0.005   5     52   Eucalyptus globulu	30	· ·				13.74	0.01			0.006	
33   Cassia situla   25   7.96   2   5.26   0.00   3   0.007   0.002   37     34   Tamarindus indica   20   6.37   4   6.73   0.00   10   0.028   0.003   39     35   Peltophorum pterocarpum   17.5   5.57   3   3.87   0.00   10   0.016   0.002   40     36   Acacia caesia   26   8.28   5   14,22   0.01   1   0.006   0.006   41     37   Acacia auriculiformis   28   8.91   6   19.79   0.01   2   0.016   0.008   42     38   Samania saman   32   10.19   4   17.23   0.01   5   0.036   0.007   43     39   Ginamomum camphora   30   9.55   6   22.72   0.01   1   0.009   0.009   44     40   Cinnamomum zeylanicum   24   7.64   3   7.27   0.00   4   0.012   0.003   45     41   Strychnos nux-vomica   28   8.91   5   16.49   0.01   4   0.027   0.007   46     42   Magnola nilgirica   35   11.41   4   20.61   0.01   1   0.009   0.009   47     43   Azadirachta indica   31   9.87   5   20.21   0.01   5   0.036   0.007   48     44   Cipadessa baccifera   31.4   9.99   6   24.89   0.01   1   0.010   0.010   48     54   Artocarpus heterophyllus   31.8   10.12   4   17.02   0.01   50   0.351   0.007   50     45   Artocarpus heterophyllus   31.8   10.12   4   17.02   0.01   50   0.351   0.007   50     46   Artocarpus heterophyllus   31.8   10.12   4   17.02   0.01   50   0.351   0.007   50     47   Ficus auriculata   32.6   10.38   5   22.35   0.01   1   0.008   0.008   51     49   Ficus reemosa   33.4   10.63   4   18.77   0.01   1   0.008   0.008   54     50   Ficus racemosa   33.4   10.69   6   24.94   0.01   1   0.008   0.008   54     51   Myristica fragrans   34.2   10.89   6   24.95   0.01   1   0.008   0.008   54     52   Levalpytus globulus   34.6   11.01   4   20.55   0.01   1   0.008   0.008   54     53   Eugeria carpophyllata   35   11.49   6   29.52   0.01   1   0.008   0.008   57     53   Eugeria carpophyllata   35   11.49   6   29.52   0.01   1   0.008   0.008   57     54   Syrgyium cumini   35.4   11.90   6   32.35   0.01   2   0.01   0.005   0.005   60     54   Artocarpus probabulus   34.6   11.00   4   20.55   0.01								2			
33 Cassi siamea			25					3			
34   Tamarindus indica   20   6.37   4   6.73   0.00   10   0.028   0.003   39     35   Peltophorum prerocarpum   17.5   5.57   3   3.87   0.00   10   0.016   0.002   40     36   Acacia caesia   26   8.28   5   14.22   0.01   1   0.006   0.006   41     37   Acacia auriculiformis   28   8.91   6   19.79   0.01   2   0.016   0.008   42     38   Samania saman   32   10.19   4   17.23   0.01   5   0.036   0.007   43     39   Ginnamomum camphora   30   9.55   6   22.72   0.01   1   0.000   0.009   44     40   Ginnamomum zeylanicum   24   7.64   3   7.27   0.00   4   0.012   0.003   45     41   Strychnos nux vomica   28   8.91   5   16.49   0.01   1   0.009   0.009   47     42   Magnolia nilgirica   35   11.14   4   20.61   0.01   1   0.009   0.009   47     43   Azadirachta indica   31   9.87   5   20.21   0.01   5   0.042   0.008   48     41   Gipadessa baccifera   31.4   9.99   6   44.89   0.01   1   0.010   0.010   49     45   Artocarpus incises   32.2   10.55   3   13.09   0.01   2   0.011   0.005   51     46   Artocarpus incises   32.2   10.55   3   13.09   0.01   2   0.011   0.009   52     48   Ficus benghalensis   33   10.50   6   27.49   0.01   1   0.009   0.09   52     48   Ficus benghalensis   33   10.63   4   18.77   0.01   1   0.008   0.009   55     50   Ficus racemosa   33.8   10.63   4   18.77   0.01   1   0.008   0.008   57     50   Ficus racemosa   33.8   10.63   4   18.77   0.01   1   0.008   0.008   57     50   Eugralia caryophyllata   35   11.14   3   55.46   0.01   1   0.000   0.009   52     50   Eugralia carryophyllata   35   11.14   3   55.46   0.01   1   0.000   0.000   55     50   Anthocephalus kadamba   37.4   11.90   6   35.31   0.01   1   0.000   0.009   57     50   Anthocephalus kadamba   37.4   11.90   6   35.31   0.01   1   0.000   0.009   57     50   Anthocephalus kadamba   37.4   11.90   6   35.31   0.01   1   0.000   0.009		Cassia siamea			5		0.00			0.004	
Peltophorum pterocarpum									_		
36   Acacia caesia   26   8.28   5   14.22   0.01   1   0.006   0.006   41   37   Acacia auriculiformis   28   8.91   6   19,79   0.01   2   0.016   0.008   43   38   Samanis asman   32   30.09   4   17,23   0.01   5   0.036   0.007   43   39   Ginnamomum camphora   30   9.55   6   22.72   0.01   1   0.009   0.009   44   40   0.007   0.007   44   15   0.008   0.007   45   0.007											
37   Acacia auriculiformis   28   8.91   6   19.79   0.01   2   0.016   0.008   42											
38   Samania saman   32   10.19   4   17.23   0.01   5   0.036   0.007   43											
39											
Quantification   Quan										•	
Strychnos nux-vomica   28   8.91   5   16.49   0.01   4   0.027   0.007   46		•									
42         Magnolia nilgirica         35         11.14         4         20.61         0.01         1         0.009         0.009         47           43         Azadirachta indica         31         9.87         5         20.21         0.01         5         0.042         0.008         48           44         Cipadessa baccifera         31.4         9.99         6         24.89         0.01         1         0.010         0.00         49           44         Artocarpus heterophyllus         31.8         10.12         4         17.02         0.01         50         0.351         0.007         50           46         Artocarpus incises         32.2         10.25         3         13.09         0.01         2         0.011         0.001         0.009         52           47         Ficus surficidas         33.4         10.63         4         18.77         0.01         1         0.001         0.01         53           48         Ficus religiosa         33.4         10.63         4         18.77         0.01         1         0.008         0.008         54           59         Ficus religiosa         33.4         10.63         4         18.77		,									
43         Azadirachta indica         31         9.87         5         20.21         0.01         5         0.042         0.008         48           44         Cipadessa baccifera         31.4         9.99         6         24.89         0.01         1         0.010         0.010         49           45         Artocarpus heterophyllus         31.8         10.12         4         17.02         0.01         50         0.351         0.007         50           46         Artocarpus incises         32.2         10.25         3         13.09         0.01         2         0.011         0.009         50           47         Ficus auriculata         32.6         10.38         5         22.35         0.01         1         0.009         0.009         52           48         Ficus religiosa         33.4         10.63         4         18.77         0.01         1         0.008         0.008         54           50         Ficus religiosa         33.4         10.63         4         18.77         0.01         1         0.008         0.008         54           50         Ficus religiosa         33.4         10.63         4         18.77         0.01	41			8.91	5	16.49	0.01	4	0.027	0.007	
44   Cipadessa baccifera   31.4   9.99   6   24.89   0.01   1   0.010   0.010   49     45   Artocarpus heterophyllus   31.8   10.12   4   17.02   0.01   50   0.351   0.007   50     46   Artocarpus incises   32.2   10.25   3   13.09   0.01   2   0.011   0.005   51     47   Ficus auriculata   32.6   10.38   5   22.35   0.01   1   0.009   0.009   52     48   Ficus benghalensis   33   10.50   6   27.49   0.01   1   0.011   0.011   53     49   Ficus religiosa   33.4   10.63   4   18.77   0.01   1   0.008   0.008   54     49   Ficus religiosa   33.8   10.76   5   24.03   0.01   2   0.020   0.010   55     50   Ficus racemosa   33.8   10.76   5   24.03   0.01   2   0.020   0.010   55     51   Myristica fragrans   34.2   10.89   6   29.52   0.01   15   0.083   0.012   56     52   Eucalyptus globulus   34.6   11.01   4   20.15   0.01   1   0.006   0.006   58     53   Eugenia caryophyllata   35   11.14   3   15.46   0.01   1   0.006   0.006   58     53   Syzygium cumini   35.4   11.27   5   26.36   0.01   2   0.022   0.011   59     55   Dendrocalamus strictus   35.8   11.40   6   32.35   0.01   20   0.267   0.013   60     56   Caralia brachiate   36.2   11.52   3   16.54   0.01   2   0.014   0.007   61     57   Aegle marmelos   36.6   11.65   4   22.54   0.01   1   0.005   0.006   63     59   Anthocephalus kadamba   37.4   11.90   6   35.31   0.01   1   0.005   0.005   63     59   Anthocephalus kadamba   37.4   11.90   6   35.31   0.01   1   0.015   0.015   64     60   Santalum album   37.8   12.03   5   30.05   0.01   10   0.124   0.012   65     61   Chrysophyllum cainito   38.2   12.16   4   24.56   0.01   2   0.020   0.010   65     62   Achras zapota   38.6   12.29   3   18.80   0.01   4   0.021   0.005   68     64   Pouteria campechiana   39.4   12.94   3   19.59   0.01   1   0.008   0.008   67     65   Alianthus excelsa   39.8   12.67   2   13.33   0.01   1   0.001   0.005   0.005   73     66   Citharexylum spinosum   41.4   13.18   5   36.05   0.01   1   0.001   0.005   73     71   Tectona grandis   42.2   13.43	42	-				20.61	0.01	1	0.009	0.009	
45         Artocarpus heterophyllus         31.8         10.12         4         17.02         0.01         50         0.351         0.007         50           46         Artocarpus incices         32.2         10.25         3         13.09         0.01         2         0.011         0.005         51           47         Ficus penghalensis         33         10.50         6         22.455         0.01         1         0.009         0.009         52           48         Ficus benghalensis         33         10.50         6         22.409         0.01         1         0.001         0.001         53           49         Ficus religiosa         33.4         10.63         4         18.77         0.01         1         0.008         0.008         54           50         Ficus religiosa         33.4         10.63         4         18.77         0.01         1         0.008         0.008         52           50         Ficus religiosa         33.4         10.63         4         18.77         0.01         1         0.002         0.000         0.008         50           51         Myristica fragrams         34.2         10.61         1         0	43		31	9.87	5	20.21	0.01	5	0.042	0.008	48
46         Artocarpus incises         32.2         10.25         3         13.09         0.01         2         0.011         0.005         51           47         Ficus auriculata         33.6         10.38         5         22.35         0.01         1         0.009         0.09         52           48         Ficus benghalensis         33         10.50         6         27.49         0.01         1         0.001         0.011         0.011         0.011         0.011         0.011         0.011         0.011         0.011         0.011         0.011         0.011         0.008         0.008         54           50         Ficus racemosa         33.8         10.76         5         24.03         0.01         2         0.020         0.010         55           51         Myristica fragrams         34.2         10.89         6         29.52         0.01         1         0.008         0.008         57           52         Eucalyptus globulus         34.6         11.01         4         20.15         0.01         1         0.006         0.08         57           52         Eucalyptus globulus         34.6         11.07         5         26.36 <t< td=""><td>44</td><td>Cipadessa baccifera</td><td>31.4</td><td>9.99</td><td>6</td><td>24.89</td><td>0.01</td><td>1</td><td>0.010</td><td>0.010</td><td>49</td></t<>	44	Cipadessa baccifera	31.4	9.99	6	24.89	0.01	1	0.010	0.010	49
47         Ficus auriculata         32.6         10.38         5         22.35         0.01         1         0.099         0.099         52           48         Ficus benghalenisis         33         10.50         6         27.49         0.01         1         0.011         0.011         53           49         Ficus realigiosa         33.4         10.63         4         18.77         0.01         1         0.008         0.008         59           50         Ficus reacemosa         33.8         10.76         5         24.03         0.01         1         0.008         0.008         54           51         Myristica fragrans         34.2         10.89         6         29.52         0.01         1         0.008         0.008         57           52         Eucalyptus globulus         34.6         11.01         4         20.15         0.01         1         0.008         0.008         57           53         Eugenia caryophyllata         35         11.14         3         15.46         0.01         1         0.006         0.00         58           54         Syzygium cumini         35.4         11.27         5         26.36         0.01 <td>45</td> <td>Artocarpus heterophyllus</td> <td>31.8</td> <td>10.12</td> <td>4</td> <td>17.02</td> <td>0.01</td> <td>50</td> <td>0.351</td> <td>0.007</td> <td>50</td>	45	Artocarpus heterophyllus	31.8	10.12	4	17.02	0.01	50	0.351	0.007	50
48         Ficus benghalensis         33         10.50         6         27.49         0.01         1         0.011         0.011         53           49         Ficus religiosa         33.4         10.63         4         18.77         0.01         1         0.008         0.008         54           50         Ficus racemosa         33.8         10.76         5         24.03         0.01         1         0.008         0.008         54           51         Myristica fragrans         34.2         10.89         6         29.52         0.01         15         0.183         0.012         56           52         Eucalyptus globulus         34.6         11.01         4         20.55         0.01         1         0.008         0.008         57           53         Eugenia caryophyllata         35         11.14         3         15.46         0.01         1         0.006         0.006         58           54         Syzygium cumini         35.4         11.27         5         26.36         0.01         2         0.027         0.011         59           56         Caralla brachiate         36.2         11.52         3         16.54         0.01 <td>46</td> <td>Artocarpus incises</td> <td>32.2</td> <td>10.25</td> <td>3</td> <td>13.09</td> <td>0.01</td> <td>2</td> <td>0.011</td> <td>0.005</td> <td>51</td>	46	Artocarpus incises	32.2	10.25	3	13.09	0.01	2	0.011	0.005	51
49 Ficus religiosa         33.4         10.63         4         18.77         0.01         1         0.008         0.008         54           50 Ficus racemosa         33.8         10.76         5         24.03         0.01         2         0.020         0.010         55           51 Myristica fragrans         34.2         10.89         6         29.52         0.01         15         0.183         0.012         56           52 Eucalyptus globulus         34.6         11.01         4         20.15         0.01         1         0.008         0.008         57           53 Eugenia caryophyllata         35         11.14         3         15.46         0.01         1         0.006         0.006         58           54 Syzygium cumini         35.4         11.27         5         26.36         0.01         2         0.022         0.011         59           55 Dendrocalamus strictus         35.8         11.40         6         32.35         0.01         2         0.027         0.013         60           56 Caralia brachiate         36.6         11.65         4         22.54         0.01         1         0.009         62           58 Morinda citrifolia	47	Ficus auriculata	32.6	10.38	5	22.35	0.01	1	0.009	0.009	52
50         Ficus racemosa         33.8         10.76         5         24.03         0.01         2         0.020         0.010         55           51         Myristica fragrans         34.2         10.89         6         29.52         0.01         15         0.183         0.012         56           52         Eugenia caryophyllata         35         11.14         3         15.46         0.01         1         0.006         0.006         58           53         Eugenia caryophyllata         35         11.14         3         15.46         0.01         1         0.006         0.066         58           54         Syzygium cumini         35.4         11.27         5         26.36         0.01         2         0.026         0.013         60           55         Dendrocalamus strictus         35.8         11.40         6         32.35         0.01         2         0.026         0.013         60           55         Dendrocalamus strictus         35.8         11.40         6         32.35         0.01         1         0.007         61           56         Caralia brachiate         36.2         11.52         3         16.01         0.01	48	Ficus benghalensis	33	10.50	6	27.49	0.01	1	0.011	0.011	53
50         Ficus racemosa         33.8         10.76         5         24.03         0.01         2         0.020         0.010         55           51         Myristica fragrans         34.2         10.89         6         29.52         0.01         15         0.183         0.012         56           52         Eucalyptus globulus         34.6         11.01         4         20.15         0.01         1         0.008         0.008         57           53         Eugenia caryophyllata         35         11.14         3         15.46         0.01         1         0.006         0.066         58           54         Syzygium cumini         35.4         11.27         5         26.36         0.01         2         0.026         0.013         60           55         Dendrocalamus strictus         35.8         11.40         6         32.35         0.01         2         0.026         0.013         60           56         Caralia brachiate         36.2         11.52         3         16.54         0.01         2         0.026         0.005         62           58         Morinda citrífolia         37         11.78         2         11.52	49	Ficus religiosa	33.4	10.63	4	18.77	0.01	1	0.008	0.008	
51         Myristica fragrans         34.2         10.89         6         29.52         0.01         15         0.183         0.012         56           52         Eucalyptus globulus         34.6         11.01         4         20.15         0.01         1         0.008         0.008         57           53         Eugenia caryophyllata         35         11.14         3         15.46         0.01         1         0.006         0.006         58           54         Syzygium cumini         35.4         11.27         5         26.36         0.01         2         0.0267         0.013         60           55         Dendrocalamus strictus         35.8         11.40         6         33.35         0.01         2         0.0267         0.013         60           56         Caralia brachiate         36.2         11.52         3         16.54         0.01         2         0.014         0.007         61           57         Aegle marmelos         36.6         11.65         4         22.54         0.01         1         0.009         0.009         62           58         Morinda citrifolia         37.11.78         2         11.52         0.00		Ficus racemosa		10.76		24.03	0.01	2	0.020	0.010	
52         Eucalyptus globulus         34.6         11.01         4         20.15         0.01         1         0.008         0.008         57           53         Eugenia caryophyllata         35         11.14         3         15.46         0.01         1         0.006         0.006         58           54         Syzygium cumini         35.4         11.27         5         26.36         0.01         2         0.022         0.011         59           55         Dendrocalamus strictus         35.8         11.40         6         32.35         0.01         20         0.267         0.013         60           56         Caralia brachiate         36.2         11.52         3         16.54         0.01         2         0.014         0.007         61           57         Aegle marmelos         36.6         11.65         4         22.54         0.01         1         0.009         0.009         62           58         Morinda citrifolia         37         11.78         2         11.52         0.00         1         0.005         0.055         63           59         Anthocephalus kadamba         37.4         11.90         6         35.31         <	51	Myristica fragrans		10.89			0.01	15	0.183	0.012	
53         Eugenia caryophyllata         35         11.14         3         15.46         0.01         1         0.066         58           54         Syzygium cumini         35.4         11.27         5         26.36         0.01         2         0.022         0.011         59           55         Dendrocalamus strictus         35.8         11.40         6         32.35         0.01         20         0.267         0.013         60           56         Caralia brachiate         36.2         11.52         3         16.54         0.01         2         0.014         0.007         61           57         Aegle marmelos         36.6         11.65         4         22.54         0.01         1         0.009         0.009         62           58         Morinda citrifolia         37         11.78         2         11.52         0.00         1         0.005         0.005         63           59         Anthocephalus kadamba         37.4         11.90         6         35.31         0.01         1         0.015         0.015         64           60         Santalum album         37.8         12.03         5         30.05         0.01         1 </td <td></td> <td>·</td> <td></td> <td></td> <td>4</td> <td></td> <td></td> <td></td> <td></td> <td>0.008</td> <td></td>		·			4					0.008	
54         Syzygium cumini         35.4         11.27         5         26.36         0.01         2         0.022         0.011         59           55         Dendrocalamus strictus         35.8         11.40         6         32.35         0.01         20         0.267         0.013         60           56         Caralia brachiate         36.2         11.52         3         16.54         0.01         2         0.014         0.007         61           57         Aegle marmelos         36.6         11.65         4         22.54         0.01         1         0.009         0.09         62           58         Morinda citrifolia         37         11.78         2         11.52         0.00         1         0.005         0.05         63           59         Anthocephalus kadamba         37.4         11.90         6         35.31         0.01         1         0.015         64           60         Santalum album         37.8         12.03         5         30.05         0.01         10         0.124         0.012         0.012         0.020         0.010         66           61         Chrysophyllum cainito         38.2         12.41         <		7. 0									
55         Dendrocalamus strictus         35.8         11.40         6         32.35         0.01         20         0.267         0.013         60           56         Caralia brachiate         36.2         11.52         3         16.54         0.01         2         0.014         0.007         61           57         Aegle marmelos         36.6         11.65         4         22.54         0.01         1         0.009         0.009         62           58         Morinda citrifolia         37         11.78         2         11.52         0.00         1         0.005         0.005         63           59         Anthocephalus kadamba         37.4         11.90         6         35.31         0.01         1         0.015         0.015         64           60         Santalum album         37.8         12.03         5         30.05         0.01         10         0.124         0.012         65           61         Chrysophyllum cainito         38.2         12.16         4         24.56         0.01         2         0.020         0.010         66           62         Achras apota         38.6         12.29         3         18.80         0.		· · · ·									
56         Caralia brachiate         36.2         11.52         3         16.54         0.01         2         0.014         0.007         61           57         Aegle marmelos         36.6         11.65         4         22.54         0.01         1         0.009         0.009         62           58         Morinda citrifolia         37         11.78         2         11.52         0.00         1         0.005         0.005         63           59         Anthocephalus kadamba         37.4         11.90         6         35.31         0.01         1         0.015         0.015         64           60         Santalum album         37.8         12.03         5         30.05         0.01         10         0.124         0.012         65           61         Chrysophyllum cainito         38.2         12.16         4         24.56         0.01         2         0.020         0.010         66           61         Chrysophyllum cainito         38.2         12.16         4         24.56         0.01         2         0.020         0.010         66           61         Chrysophyllum cainito         38.2         12.16         4         24.56											
57         Aegle marmelos         36.6         11.65         4         22.54         0.01         1         0.009         0.09         62           58         Morinda citrifolia         37         11.78         2         11.52         0.00         1         0.005         0.005         63           59         Anthocephalus kadamba         37.4         11.90         6         35.31         0.01         1         0.015         0.015         64           60         Santalum album         37.8         12.03         5         30.05         0.01         10         0.124         0.012         65           61         Chrysophyllum cainito         38.2         12.16         4         24.56         0.01         2         0.020         0.010         66           62         Achras zapota         38.6         12.29         3         18.80         0.01         4         0.031         0.008         67           63         Mimusops elenji         39         12.41         2         12.80         0.01         4         0.021         0.005         68           64         Pouteria campechiana         39.4         12.54         3         19.59         0.01											
58         Morinda citrifolia         37         11.78         2         11.52         0.00         1         0.005         0.005         63           59         Anthocephalus kadamba         37.4         11.90         6         35.31         0.01         1         0.015         0.015         64           60         Santalum album         37.8         12.03         5         30.05         0.01         10         0.124         0.012         65           61         Chrysophyllum cainito         38.2         12.16         4         24.56         0.01         2         0.020         0.010         66           62         Achras zapota         38.6         12.29         3         18.80         0.01         4         0.031         0.008         67           63         Mimusops elenji         39         12.41         2         12.80         0.01         4         0.021         0.005         68           64         Pouteria campechiana         39.4         12.54         3         19.59         0.01         1         0.008         0.008         69           65         Ailanthus excelsa         39.8         12.67         2         13.33         0.01<										•	
59         Anthocephalus kadamba         37.4         11.90         6         35.31         0.01         1         0.015         0.015         64           60         Santalum album         37.8         12.03         5         30.05         0.01         10         0.124         0.012         65           61         Chrysophyllum cainito         38.2         12.16         4         24.56         0.01         2         0.020         0.010         66           62         Achras zapota         38.6         12.29         3         18.80         0.01         4         0.031         0.008         67           63         Mimusops elenji         39         12.41         2         12.80         0.01         4         0.021         0.005         68           64         Pouteria campechiana         39.4         12.54         3         19.59         0.01         1         0.008         0.008         69           65         Ailanthus excelsa         39.8         12.67         2         13.33         0.01         4         0.022         0.005         70           66         Simarouba glauca         40.2         12.80         2         13.60         0.01<									,		
60         Santalum album         37.8         12.03         5         30.05         0.01         10         0.124         0.012         65           61         Chrysophyllum cainito         38.2         12.16         4         24.56         0.01         2         0.020         0.010         66           62         Achras zapota         38.6         12.29         3         18.80         0.01         4         0.031         0.008         67           63         Mimusops elenji         39         12.41         2         12.80         0.01         4         0.021         0.005         68           64         Pouteria campechiana         39.4         12.54         3         19.59         0.01         1         0.008         0.008         69           65         Ailanthus excelsa         39.8         12.67         2         13.33         0.01         4         0.022         0.005         70           66         Simarouba glauca         40.2         12.80         2         13.60         0.01         2         0.011         0.006         71           67         Kleinhovia hospita         40.6         12.92         4         27.74         0.01 <td></td>											
61         Chrysophyllum cainito         38.2         12.16         4         24.56         0.01         2         0.020         0.010         66           62         Achras zapota         38.6         12.29         3         18.80         0.01         4         0.031         0.008         67           63         Mimusops elenji         39         12.41         2         12.80         0.01         4         0.021         0.005         68           64         Pouteria campechiana         39.4         12.54         3         19.59         0.01         1         0.008         0.008         69           65         Ailanthus excelsa         39.8         12.67         2         13.33         0.01         4         0.022         0.005         70           66         Simarouba glauca         40.2         12.80         2         13.60         0.01         2         0.011         0.006         71           67         Kleinhovia hospita         40.6         12.92         4         27.74         0.01         1         0.011         0.011         72           68         Trema orientalis         41         13.05         5         35.36         0.01											
62         Achras zapota         38.6         12.29         3         18.80         0.01         4         0.031         0.008         67           63         Mimusops elenji         39         12.41         2         12.80         0.01         4         0.021         0.005         68           64         Pouteria campechiana         39.4         12.54         3         19.59         0.01         1         0.008         0.008         69           65         Ailanthus excelsa         39.8         12.67         2         13.33         0.01         4         0.022         0.005         70           66         Simarouba glauca         40.2         12.80         2         13.60         0.01         2         0.011         0.006         71           67         Kleinhovia hospita         40.6         12.92         4         27.74         0.01         1         0.011         0.006         71           68         Trema orientalis         41         13.05         5         35.36         0.01         2         0.029         0.015         73           69         Citharexylum spinosum         41.4         13.18         5         36.05         0.01											
63         Mimusops elenji         39         12.41         2         12.80         0.01         4         0.021         0.005         68           64         Pouteria campechiana         39.4         12.54         3         19.59         0.01         1         0.008         0.008         69           65         Ailanthus excelsa         39.8         12.67         2         13.33         0.01         4         0.022         0.005         70           66         Simarouba glauca         40.2         12.80         2         13.60         0.01         2         0.011         0.006         71           67         Kleinhovia hospita         40.6         12.92         4         27.74         0.01         1         0.011         0.001         72           68         Trema orientalis         41         13.05         5         35.36         0.01         2         0.029         0.015         73           69         Citharexylum spinosum         41.4         13.18         5         36.05         0.01         1         0.015         0.015         74           70         Gmelina arborea         41.8         13.31         3         22.05         0.01 <td></td>											
64         Pouteria campechiana         39.4         12.54         3         19.59         0.01         1         0.008         0.008         69           65         Ailanthus excelsa         39.8         12.67         2         13.33         0.01         4         0.022         0.005         70           66         Simarouba glauca         40.2         12.80         2         13.60         0.01         2         0.011         0.006         71           67         Kleinhovia hospita         40.6         12.92         4         27.74         0.01         1         0.011         0.011         72           68         Trema orientalis         41         13.05         5         35.36         0.01         2         0.029         0.015         73           69         Citharexylum spinosum         41.4         13.18         5         36.05         0.01         1         0.015         0.015         74           70         Gmelina arborea         41.8         13.31         3         22.05         0.01         1         0.009         0.009         75           71         Tectona grandis         42.2         13.43         2         14.98         0.01<				12.29							
65       Ailanthus excelsa       39.8       12.67       2       13.33       0.01       4       0.022       0.005       70         66       Simarouba glauca       40.2       12.80       2       13.60       0.01       2       0.011       0.006       71         67       Kleinhovia hospita       40.6       12.92       4       27.74       0.01       1       0.011       0.011       72         68       Trema orientalis       41       13.05       5       35.36       0.01       2       0.029       0.015       73         69       Citharexylum spinosum       41.4       13.18       5       36.05       0.01       1       0.015       0.015       74         70       Gmelina arborea       41.8       13.31       3       22.05       0.01       1       0.009       0.009       75         71       Tectona grandis       42.2       13.43       2       14.98       0.01       20       0.124       0.006       76         72       Mesua ferra       42.6       13.56       2       15.27       0.01       1       0.006       0.006       77         73       Bombax malabaricum       43<		·	39	12.41	2	12.80	0.01	4			
66         Simarouba glauca         40.2         12.80         2         13.60         0.01         2         0.011         0.006         71           67         Kleinhovia hospita         40.6         12.92         4         27.74         0.01         1         0.011         0.011         72           68         Trema orientalis         41         13.05         5         35.36         0.01         2         0.029         0.015         73           69         Citharexylum spinosum         41.4         13.18         5         36.05         0.01         1         0.015         0.015         74           70         Gmelina arborea         41.8         13.31         3         22.05         0.01         1         0.009         0.099         75           71         Tectona grandis         42.2         13.43         2         14.98         0.01         20         0.124         0.006         76           72         Mesua ferra         42.6         13.56         2         15.27         0.01         1         0.006         0.006         77           73         Bombax malabaricum         43         13.81         3         23.77         0.01	64	·		12.54	3	19.59	0.01	1	0.008	0.008	69
67         Kleinhovia hospita         40.6         12.92         4         27.74         0.01         1         0.011         0.011         72           68         Trema orientalis         41         13.05         5         35.36         0.01         2         0.029         0.015         73           69         Citharexylum spinosum         41.4         13.18         5         36.05         0.01         1         0.015         0.015         74           70         Gmelina arborea         41.8         13.31         3         22.05         0.01         1         0.009         0.009         75           71         Tectona grandis         42.2         13.43         2         14.98         0.01         20         0.124         0.006         76           72         Mesua ferra         42.6         13.56         2         15.27         0.01         1         0.006         0.006         77           73         Bombax malabaricum         43         13.69         4         31.11         0.01         2         0.026         0.013         78           74         Lagerstroemia indica         43.4         13.81         3         23.77         0.01	65		39.8	12.67	2	13.33	0.01	4	0.022	0.005	70
68         Trema orientalis         41         13.05         5         35.36         0.01         2         0.029         0.015         73           69         Citharexylum spinosum         41.4         13.18         5         36.05         0.01         1         0.015         0.015         74           70         Gmelina arborea         41.8         13.31         3         22.05         0.01         1         0.009         0.009         75           71         Tectona grandis         42.2         13.43         2         14.98         0.01         20         0.124         0.006         76           72         Mesua ferra         42.6         13.56         2         15.27         0.01         1         0.006         0.006         77           73         Bombax malabaricum         43         13.69         4         31.11         0.01         2         0.026         0.013         78           74         Lagerstroemia indica         43.4         13.81         3         23.77         0.01         10         0.098         0.010         79           75         Auracaria heterophulla         43.8         13.94         4         32.28         0.01<	66	Simarouba glauca	40.2	12.80	2	13.60	0.01	2	0.011	0.006	71
69         Citharexylum spinosum         41.4         13.18         5         36.05         0.01         1         0.015         0.015         74           70         Gmelina arborea         41.8         13.31         3         22.05         0.01         1         0.009         0.009         75           71         Tectona grandis         42.2         13.43         2         14.98         0.01         20         0.124         0.006         76           72         Mesua ferra         42.6         13.56         2         15.27         0.01         1         0.006         0.006         77           73         Bombax malabaricum         43         13.69         4         31.11         0.01         2         0.026         0.013         78           74         Lagerstroemia indica         43.4         13.81         3         23.77         0.01         10         0.098         0.010         79           75         Auracaria heterophulla         43.8         13.94         4         32.28         0.01         3         0.040         0.013         80           76         Cycas circinalis         44.2         14.07         2         16.44         0.0	67	Kleinhovia hospita	40.6	12.92	4	27.74	0.01	1	0.011	0.011	72
69         Citharexylum spinosum         41.4         13.18         5         36.05         0.01         1         0.015         0.015         74           70         Gmelina arborea         41.8         13.31         3         22.05         0.01         1         0.009         0.009         75           71         Tectona grandis         42.2         13.43         2         14.98         0.01         20         0.124         0.006         76           72         Mesua ferra         42.6         13.56         2         15.27         0.01         1         0.006         0.006         77           73         Bombax malabaricum         43         13.69         4         31.11         0.01         2         0.026         0.013         78           74         Lagerstroemia indica         43.4         13.81         3         23.77         0.01         10         0.098         0.010         79           75         Auracaria heterophulla         43.8         13.94         4         32.28         0.01         3         0.040         0.013         80           76         Cycas circinalis         44.2         14.07         2         16.44         0.0	68	Trema orientalis	41	13.05	5	35.36	0.01	2	0.029	0.015	73
70         Gmelina arborea         41.8         13.31         3         22.05         0.01         1         0.009         0.009         75           71         Tectona grandis         42.2         13.43         2         14.98         0.01         20         0.124         0.006         76           72         Mesua ferra         42.6         13.56         2         15.27         0.01         1         0.006         0.006         77           73         Bombax malabaricum         43         13.69         4         31.11         0.01         2         0.026         0.013         78           74         Lagerstroemia indica         43.4         13.81         3         23.77         0.01         10         0.098         0.010         79           75         Auracaria heterophulla         43.8         13.94         4         32.28         0.01         3         0.040         0.013         80           76         Cycas circinalis         44.2         14.07         2         16.44         0.01         2         0.014         0.007         81           77         Cycas revoluta         36         11.46         3         16.36         0.01	69	Citharexylum spinosum	41.4				0.01	1	0.015	0.015	
71         Tectona grandis         42.2         13.43         2         14.98         0.01         20         0.124         0.006         76           72         Mesua ferra         42.6         13.56         2         15.27         0.01         1         0.006         0.006         77           73         Bombax malabaricum         43         13.69         4         31.11         0.01         2         0.026         0.013         78           74         Lagerstroemia indica         43.4         13.81         3         23.77         0.01         10         0.098         0.010         79           75         Auracaria heterophulla         43.8         13.94         4         32.28         0.01         3         0.040         0.013         80           76         Cycas circinalis         44.2         14.07         2         16.44         0.01         2         0.014         0.007         81           77         Cycas revoluta         36         11.46         3         16.36         0.01         3         0.020         0.007         82								1			
72         Mesua ferra         42.6         13.56         2         15.27         0.01         1         0.006         0.006         77           73         Bombax malabaricum         43         13.69         4         31.11         0.01         2         0.026         0.013         78           74         Lagerstroemia indica         43.4         13.81         3         23.77         0.01         10         0.098         0.010         79           75         Auracaria heterophulla         43.8         13.94         4         32.28         0.01         3         0.040         0.013         80           76         Cycas circinalis         44.2         14.07         2         16.44         0.01         2         0.014         0.007         81           77         Cycas revoluta         36         11.46         3         16.36         0.01         3         0.020         0.007         82           Total         42.8         3.317         0.1899         0.01         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         <											
73         Bombax malabaricum         43         13.69         4         31.11         0.01         2         0.026         0.013         78           74         Lagerstroemia indica         43.4         13.81         3         23.77         0.01         10         0.098         0.010         79           75         Auracaria heterophulla         43.8         13.94         4         32.28         0.01         3         0.040         0.013         80           76         Cycas circinalis         44.2         14.07         2         16.44         0.01         2         0.014         0.007         81           77         Cycas revoluta         36         11.46         3         16.36         0.01         3         0.020         0.007         82           Total         428         3.317         0.1899											
74     Lagerstroemia indica     43.4     13.81     3     23.77     0.01     10     0.098     0.010     79       75     Auracaria heterophulla     43.8     13.94     4     32.28     0.01     3     0.040     0.013     80       76     Cycas circinalis     44.2     14.07     2     16.44     0.01     2     0.014     0.007     81       77     Cycas revoluta     36     11.46     3     16.36     0.01     3     0.020     0.007     82       Total     428     3.317     0.1899											
75         Auracaria heterophulla         43.8         13.94         4         32.28         0.01         3         0.040         0.013         80           76         Cycas circinalis         44.2         14.07         2         16.44         0.01         2         0.014         0.007         81           77         Cycas revoluta         36         11.46         3         16.36         0.01         3         0.020         0.007         82           Total         428         3.317         0.1899											
76         Cycas circinalis         44.2         14.07         2         16.44         0.01         2         0.014         0.007         81           77         Cycas revoluta         36         11.46         3         16.36         0.01         3         0.020         0.007         82           Total         428         3.317         0.1899											
77 Cycas revoluta 36 11.46 3 16.36 0.01 3 0.020 0.007 82 Total 428 3.317 0.1899		·									
Total 428 3.317 0.1899											
	//	Cycas revoluta	36	11.46	3	10.36					02
	Dat	pile of the trees having diam -t	more the	45.cm 255	d baying b	oighta at			•		fortha

Details of the trees having diameter more than 15cm and having heights above 15ocm from ground level is taken for the study



#### **CARBON FOOTPRINT OF THE CAMPUS (2019-20)**

Various carbon emitting activities such as consumption of energy, transportation and waste generation leads to the total emission of 106.67 tCO₂e per year by the campus. The total carbon sequestration by trees in the campus compound is 2.65 tCO₂e.

Thus, the current carbon footprint of the campus will be the difference of total carbon emission and total carbon sequestration/mitigation. the following table shows the carbon footprint level of 2020-21.

#### **Specific CO2 Footprint**

	Amount of Carbon to be mitigated for Low Carbon Campus									
SI No	Particulars	2018-19	2019-20	2020- 21						
1	Total carbon emission tCO2e	113.60	106.67	59.03						
2	Total carbon sequestration tCO2e	2.49	2.65	3.32						
3	Amount of carbon mitigated through renewable energy tCO2e	66.32	57.63	63.42						
4	To be mitigated tCO2e	44.79	46.39	-7.71						
5	Total No of Students	1793	1778	1848						
6	Specific Carbon Footprint kg CO2e/Student/Yr	24.98	26.09	-4.17						

The total specific carbon emission is estimated as **26.09** kg of  $CO_2e$  per student for the year 2019-20 and **-4.17** kg of  $CO_2e$  per student for the year 2020-21. (the reduction in  $CO_2e$  foot print is due to the impact of pandemic year)



4

# Carbon Mitigation Plans





The total emission of the carbon dioxide per student is **26.09** kg per year (2019-2020). Emission reduction plans were prepared to bring the existing per capita carbon footprint to zero or below so as to bring the campus a carbon neutral or carbon negative campus.

This can be achieved in many ways but, every alternate plan must be in such a way that, it must fulfill the actual purpose of each activity that is considered.

Here, three major methods are taken in to account as the plans for reducing the carbon emission of the campus.

- · Resource optimisation
- Energy efficiency
- Renewable energy

#### **RESOURCE OPTIMISATION**

The effective use of resources can limit its unnecessary wastage. Optimal usage of the resources (such as fuels) can save the fuel and can also reduce the carbon emission due to its consumption. This technique can be effectively implemented in the 'transportation' and 'waste' sectors of the campus.

#### **WASTE MINIMISATION**

Optimal utilisation of paper and plastic stationaries can reduce the frequency of purchase of items. This can reduce the unnecessary wastage of money as well as the excess production of waste. In the case of food, proper food habits and housekeeping practices can optimise its usage.

Currently, the campus is taking an appreciable effort to reduce the unnecessary production of wastes. But the campus still has opportunities to reduce the generation of waste and can improve much more. Resource optimisation can be effectively implemented in all type of waste generated in the campus and the campus can expect about 50% reduction the total waste produced.

#### **ENERGY EFFICIENCY**

Energy efficiency is the practice of reducing the energy requirements while achieving the required energy output. Energy efficiency can be effectively implemented in all the sectors of the campus.



#### **FUELS FOR COOKING**

The campus uses commercial LPG cylinders for its cooking purpose. The campus installed biogas plant to treat food waste and the biogas thus generated used in kitchen. Installation of a solar water heater to rise the water temperature to a much higher level, then it has to consume only very less amount of thermal energy for preparing the same amount of food is another method. This can make a positive benefit to the campus by saving money, energy and can reduce the carbon emission of the campus due to thermal energy consumed for cooking.

#### **TRANSPORTATION**

Energy efficiency of the transportation sector is mainly depended on the fuel efficiency of the vehicles used. Here mileage of the vehicle (kmpl - Kilometres per Litre) is calculated to assess the fuel efficiency of the vehicle.

Percentage of closeness is the ratio of actual mileage of the vehicle to its expected mileage. If the percentage of closeness of mileages of each vehicle is greater than that of its average, then the efficiency status of the vehicle is considered as 'Above average' and else, it is considered as 'Below average'





#### **Carbon Mitigation Proposals**

After analyzing the historical and measured data the following projects are proposed to make the campus carbon neutral. The projects are from energy efficiency and renewable energy. The further additions in the green cover increase will also give positive impact in the carbon mitigation.

	OTTOTRACTIONS- ENERGY AUDIT										
	PROVIDENCE WOMEN'S COLLEGE										
	Greenhouse Gas Mitigation through Major Energy Efficiency Projects										
SI No	Projects		Energy saved(Year ly)		First year ton of CO2	of CO2 mitigated					
		(kWh)	MWh	Years	Ē	- +					
1	Energy Saving in Lighting by replacing existing 186 No's T8 Lamps to 20W LED Tube	2976	2.98	10	2.17	21.72					
2	Energy Saving in Lighting by replacing existing 115 No's T12 (55W) Lamps to 18 W LED Tube	4238	4.24	10	3.09	30.94					
3	Energy Saving in Lighting by replacing existing 8 No's CFL(15W) Lamps to 9W LED	67	0.07	10	0.05	0.49					
4	Energy Saving by replacing existing 381 No's in- efficient ceiling fans with Energy Efficient Five star fans	11582	11.58	10	8.46	84.55					
	Total	18863	19	10	13.77	138					

	OTTOTRACTIONS- ENERGY AUDIT									
	PROVIDENCE WOMEN'S COLLEGE									
	Greenhouse Gas Mitigation through Renewable Energy Projects									
SI No	Projects		saved(Yea rly)	Sustainabil ity (Years)	First year ton of CO2 mitigated	of CO2 mitigated ough out life				
		(kWh)	MWh	Years	First CO2	of C of C mitigi through				
1	Energy Generation from 37kWp Solar Power Plant installed	50644	50.64	25	36.97	924.25				
2	Installation of 40 kWp Solar Power Plant	51100	51.10	26	41.90	1089.45				



#### Energy Saving Proposal Code EA 804.01

Energy Saving in Lighting by replacing existing 186 No's T8 Lamps to 20W LED Tube

#### **Existing Scenario**

186 numbers of T8 lamps were identified during the energy audit field survey in the facility. During discussion with staffs it is observed that the average utility of these fittings are of 30%.

#### **Proposed System**

The existing T8 may be replaced to LED tube of 20 W in phased manner and the savings will be of 50 % (inclusive of improved light output and reduced energy consumption)

Financial Analysis	
Annual working hours (hr)	2000
No of fittings	186
Total load (kW)	7.44
Annual Energy Consumption (kWh)	5952
Expected Annual Energy saving for replacing all fittings (kWh)	2976
Cost of Power	8.00
Annual saving in Lakhs Rs (1st year)	0.24
Investment required for complete replacements [@Rs 300 per fittings](Lakhs Rs)	0.56
Simple Pay Back (in Months)	28.13



### OTTOTRACTIONS- ENERGY AUDIT Energy Saving Proposal Code EA 776.05

Energy Saving in Lighting by replacing existing 115 No's T12 (55W) Lamps to 18W LED Tube

#### **Existing Scenario**

115 numbers of T12(55 W) lamps were identified during the energy audit field survey in the facility. During discussion with officers it is observed that the average utility of these fittings are of 30%.

#### **Proposed System**

The existing T12 may be replaced to LED Tube of 18 W in phased manner and the savings will be of 67% (inclusive of improved light output and reduced energy consumption)

Financial Analysis	
Annual working hours (hr)	2000
No of fittings	115
Total load (kW)	6.33
Annual Energy Consumption (kWh)	6325
Expected Annual Energy saving for replacing all fittings (kWh)	4238
Cost of Power	8.00
Annual saving in Lakhs Rs (1st year)	0.34
Investment required for complete replacements [@Rs 300 per fittings](Lakhs Rs)	0.35
Simple Pay Back (in Months)	12.21



### OTTOTRACTIONS- ENERGY AUDIT Energy Saving Proposal Code EA 804.03

Energy Saving in Lighting by replacing existing 8 No's CFL(15W) Lamps to 9W LED BULB

#### **Existing Scenario**

8 numbers of CFL(15 W) lamps were identified during the energy audit field survey in the facility. During discussion with officers it is observed that the average utility of these fittings are of 30%.

#### Proposed System

The existing CFL may be replaced to LED bulb of 9W in phased manner and the savings will be of 40% (inclusive of improved light output and reduced energy consumption)

Financial Analysis	
Annual working hours (hr)	2000
No of fittings	8
Total load (kW)	0.12
Annual Energy Consumption (kWh)	168
Expected Annual Energy saving for replacing all fittings (kWh)	67
Cost of Power	8.00
Annual saving in Lakhs Rs (1st year)	0.01
Investment required for complete replacements [@Rs 170 per fittings](Lakhs Rs)	0.01
Simple Pay Back (in Months)	30.36



#### Energy Saving Proposal Code EA 804.04

Energy Saving by replacing existing 381 No's in-efficient ceiling fans with Energy Efficient Five star fans

#### **Existing Scenario**

There are 381 numbers of ceiling fans installed in the facility with minimum 8 hrs a day operation. All are conventional type and most of them are very old.

#### **Proposed System**

There is an energy saving opportunity in replace the existing fans with new five star labelled fans. The five star labelled fans give a savings up to 38% with higher service value (air delivery/watt).

<b>—</b> ·			
Finar	ıcıal	Anal	VSIS

i manciat Anatysis	
Annual working hours (hrs)	2000
Total numbers of ordinary fans	381
Total load (kW)	30.48
Annual Energy Consumption (kWh)	30480
Expected Annual Energy saving, for total replacement(kWh)	11582
Cost of Power (Rs)	8.00
Annual saving in Lakhs Rs (1st year)	0.93
Investment required for a total replacement (Lakhs Rs)[@2175 Rs per Fan with 50W at full speed]	8.29
Simple Pay Back (in Months)	107.32



### Energy Saving Proposal Code 804.05 Installation of 40 kWp Solar Power Plant

#### **Existing Scenario**

There is a good potential of solar power electricity generation. The availability of sunlight is very high. There are some canopies available in the proposed site, but by having proper trimming of trees this may be avoided. If the SPVs are place in the roof top it will help improving RTTV (Roof Thermal Transmit Value) of the building.

#### **Proposed System**

It is proposed to have a Solar Power Plant of 40kW at the beginning stage. The state and central government is pushing and giving good assistance to the installation. It can be installed as an internal grid connected system which is much cheaper than off grid system. Now days the technology provides trouble free grid interactive and connected system. The installation will provide 25yrs trouble free generation with only 20% efficiency loss at the 25th year.

Financial Analysis	
Proposed Solar installed Capacity (kW)	40
Total average kWh per day expected (3.5kWh/day average)	140.00
Total annual Generating Capacity (kWh)	51100
Cost of energy generated annually Lakhs Rs	4.09
Investment required (INR lakh)(Approx)	30.00
Simple Pay Back (in Months)	88.06
Life cycle in Yrs	25
Total Saving in Life Cycle (Approx) RS lakh	102.20



	Evacutiv	e Summary								
	Consolidated Cost Benefit Analysis of Energy Efficiency Improvement Projects									
	, , , , , , , , , , , , , , , , , , , ,									
	PROVIDENCE WOMEN'S COLLEGE									
SI No	Projects	Investment	Cost saving	SPB	Energy saved					
INO		(Lakhs Rs)	(Rs)/Yr	Months	kWh/Yr					
1	Energy Saving in Lighting by replacing existing 186 No's T8 Lamps to 20W LED Tube	1.54	0.24	77.81	2976					
2	Energy Saving in Lighting by replacing existing 115 No's T12 (55W) Lamps to 18 W LED Tube in Third Floor	0.95	0.34	33.79	4238					
3	Energy Saving in Lighting by replacing existing 8 No's CFL(15W) Lamps to 9W LED BULB in GROUND and first Floor	0.01	0.005	30.36	67					
4	Energy Saving by replacing existing 381 No's in-efficient ceiling fans with Energy Efficient Five star fans	8.29	0.93	107.32	11582					
	Total	10.80	1.51	62.32	18863.35					
	(The saving are projected as per the assumed operation time observed based in the discussions with the plant officials. The data of saving percentages are taken from BEE guide books and field measurements.)									
	Consolidated Cost Benefit Analy	sis of Renewa	ble Energy	/ Projects						
5	Installation of 40 kWp Solar Power Plant	30.00	4.09	88.06	51100					



# 5

## **CONCLUSION**





The carbon emission from different sectors namely, Energy, Transportation and wastes were calculated using standard procedures. Carbon sequestration by the trees present in the campus was also estimated. From these the total carbon footprint of the campus was arrived at.

1	Net Carbon Emission after implementing Energy Efficiency projects and Renewable Energy Projects Proposed							
1	Total Carbon Foot Print tCO2e/yr	106.67						
2	Carbon Sequestrated tCO2e/yr	2.65						
3	Carbon mitigated by Renewable Energy tC02e/yr (installed) (Solar)	36.97						
4	Carbon mitigated by Renewable Energy tC02e/yr (Proposed) (Solar)	41.90						
5	Carbon mitigated by Renewable Energy (Installed) (Biogas)	28.98						
6	Carbon mitigated by Energy Efficiency (Proposed) tCO2e/yr	13.77						
7	Effective Carbon footprint tCO2e/yr	-17.60						
8	Total No of Students	1778.00						
9	Specific Carbon Footprint kg CO2e/Student/Yr	-9.90						

From this study it was found that carbon footprint of the campus to be  $26.09 \text{ kgCO}_2\text{e}/\text{Student}/\text{Year}$  in place of current footprint i.e.,  $-9.90 \text{ kgCO}_2\text{e}/\text{student}/\text{Year}$ . This will be achieved after implementing energy efficiency projects and implementation of 40 kWp solar power plant. To achieve this an investment of 39.20 lakhs Rs is required through energy efficiency and renewable energy projects proposed. It will be around 2204.9 Rs per student to make the campus the carbon negative.

	Cost to make the campus Carbon Negative	
1	Cost of implementation in Energy Efficiency Lakhs Rs	9.20
2	Cost of implementation in Renewable Energy Lakhs Rs	30.00
3	Total Lakhs Rs	39.20
4	Total number of students	1778
5	Cost per student to make the campus carbon negative Rs/ Student	2204.9



#### REFERENCES

#### Reports and Books

- Towards campus climate neutrality: Simon Fraser University's carbon footprint (2007), Simon Fraser University, Bokowski, G., White, D., Pacifico, A., Talbot, S., DuBelko, A., Phipps, A.
- The bare necessities: How much household carbon do we really need? Ecological Economics (2010), 69, 1794–1804, Druckman, A., & Jackson, T.
- Home Energy Audit Manual (2017), Ottotractions & EMC Kerala, No.ES 26, Pp.114
- Screening of 37 Industrial PSUs in Kerala for Carbon Emission Reduction and CDM Benefits, (2011), Ottotractions & Directorate of Environment & climate Change, Kerala, No. ES-8, Pp.157


#### Website

- http://www.moef.nic.in/downloads/public-information/Report\_INCCA.pdf
- https://ghgprotocol.org/sites/default/files/standards\_supporting/Ch5\_GHGP\_Tech
- https://www.sciencedirect.com/science/article/pii/S0921344915301245
- http://www.kgs.ku.edu/Midcarb/sequestration.shtml
- http://www.sustainabilityoutlook.in/content/5-things-consider-you-plan-rooftoppv-plant
- https://www.nrs.fs.fed.us/pubs/jrnl/2002/ne\_2002\_nowak\_002.pdf
- https://www.ipcc-nggip.iges.or.jp/EFDB/find\_ef.php
- https://www.gov.uk/government/publications/greenhouse-gas-reportingconversion- factors-2018
- https://www.carbonfootprint.com/factors.aspx
- http://cea.nic.in/reports/others/thermal/tpece/cdm\_co2/user\_guide\_ver10.pdf
- https://beeindia.gov.in/sites/default/files/guidebook-Campus.pdf
- https://www.elgas.com.au/blog/389-lpg-conversions-kg-litres-mj-kwh-and-m3
- http://www.sustainabilityoutlook.in/content/5-things-consider-you-plan-rooftoppv-plant
- https://www.nrcan.gc.ca/energy/efficiency/transportation/20996
- https://www.americangeosciences.org/critical-issues/faq/how-does-recyclingsave energy



6

# TECHNICAL SUPPLEMENT





				PROVIDENCE	WOMEN'S COL	LEGE						
	LIGHT FAN IT AC											
LOCATION	Т8	T12	CFL	LED TUBE	LED BULB	CF	EF	PC	Projector	1.5	2tr	3tr
Hall	4					5			1			<u> </u>
Classroom 1-5	5					10						
Computer room	1					2		5				
Staffroom	1					2						
Principal room	1					2						
Auditorium	10					32						
				Sci	ence Block							
Physics section	6	3			1	8						
Chemistry section Staffroom		1				3						
Chemistry lab		5		2		9	4					
Classroom 1-2				2		2						
Class 1		1				1						
Class 2	1					1						



Total	186	115	8	13	13	381	4	111	4	6	0	1
PG Block *3					12	42			3	5		
Assembly block		43				21		4				
Class 1-5		10				10						
Computer lab						10		101		1		1
Classroom 1-8	8					16						
Principal room	3	1		2		3						
Network admin	1					1						
Audio visual room	3		8	4		4						
Conference room		8		1		3						
Office Block	5	4		2		6		1				
Library Block		39				48						
canteen						3						
Hostel *137	137					137						



#### List of trees in the campus

Sl. No	Botanical name	Common name	Family	Number of trees
1	Anacardium occidentale	Parangi mavu	Anacardiaceae	10
2	Mangifera indica	Mavu	и	25
3	Spoudias pinnata	Ambazham	u	1
4	Cananga odorata	Swarna chembakam	Annonaceae	1
5	Polyalthia longifolia	Aranamaram	u	15
6	Alstonia macrophylla	Devils tree	Apocynaceae	2
7	Alstonia scholaris	Yakshippala	u	1
8	Areca catechu	Kavungu	Arecaceae	10
9	Caryota urens	Anappana	и	1
10	Cocos nucifera	Thengu	и	300
11	Chrysalidocarpus lutescens	Palm	u	1
12	Tecoma stans	Manja arali	Bignoniaceae	2
13	Spathodea campanulate		и	3
14	Oroxylon indicum	Palaka payyani	u	1
15	Casuarina equisetifolia	Kattadi	Casuarinaceae	4
16	Terminalia catappa		Combretaceae	4
17	Muntingia calabura	Panchara pazham	Elaeocarpaceae	3
18	Bridelia retusa		Euphorbiaceae	2
19	Mallotus tetracoccus		u	2
20	Phyllanthus acidus		u	1
21	Phyllanthus emblica		u	2
22	Macaranga indica	Vatta/Uppoothi	и	10



23	Abrus pricatorium	Kunnikkuru	Fabaceae- Papilionaceae	2
24	Gliricidia sepum	Seema Konna	4	25
25	Pongamia pinnata		и	2
26	Adenanthera pavonina	Manjadi	4	2
27	Dalbergia sisso	Irool	4	1
28	Butea monosperma	Plasu	44	1
29	Bauhinia purpurea	Mandaram	Caesalpiniaceae	5
30	Delonix regia	Gulmohar	4	1
31	Saraca asoka	Asokam	44	2
32	Cassia fistula	Kanikonna	44	3
33	Cassia siamea		и	5
34	Tamarindus indica	Valan puli	4	10
35	Peltophorum pterocarpum	Copper pod	и	10
36	Acacia caesia	Inja	Mimosaseae	1
37	Acacia auriculiformis		44	2
38	Samania saman	Rain tree	4	5
39	Cinnamomum camphora		Lauraceae	1
40	Cinnamomum zeylanicum	Karuvapatta	44	4
41	Strychnos nux-vomica	Kanjiram	Loganiaceae	4
42	Magnolia nilgirica	Chambakam	Magnoliaceae	1
43	Azadirachta indica	Aryaveppu	Meliaceae	5
44	Cipadessa baccifera		4	1
45	Artocarpus heterophyllus	Plavu	Moraceae	50
46	Artocarpus incises	Breadfruit"	u	2
47	Ficus auriculata	Athi	и	1
48	Ficus benghalensis	Peral	u	1
49	Ficus religiosa	Arayal	u	1
50	Ficus racemosa	Athi	u	2
51	Myristica fragrans	Jathi	Myristicaceae	15



52	Eucalyptus globulus	Eucalyptus	Myrtaceae	1
53	Eugenia caryophyllata	Clove	и	1
54	Syzygium cumini	Njaval	и	2
55	Dendrocalamus strictus		Poaceae	20
56	Caralia brachiate		Rhizophoraceae	2
57	Aegle marmelos	Koovalam	Rutaceae	1
58	Morinda citrifolia	Noni	Rubiaceae	1
59	Anthocephalus kadamba	Kadambu	и	1
60	Santalum album	Chandanam	Santalaceae	10
61	Chrysophyllum cainito	Swarnapathri	Sapotaceae	2
62	Achras zapota	Sapota	и	4
63	Mimusops elenji	elanji	и	4
64	Pouteria campechiana	Egg fruit	и	1
65	Ailanthus excelsa	Matti	Simaroubaceae	4
66	Simarouba glauca	Lakshmitharu	и	2
67	Kleinhovia hospita		Sterculiaceae	1
68	Trema orientalis	amapotti	Ulmaceae	2
69	Citharexylum spinosum	Parijatham	Verbanaceae	1
70	Gmelina arborea	Kumizhu	и	1
71	Tectona grandis	Thekku	и	20
72	Mesua ferra	Nagamaram	Clusiaceae	1
73	Bombax malabaricum	Elavu	Bombacaceae	2
74	Lagerstroemia indica	Manimaruth	Lytharaceae	10
75	Auracaria heterophulla	Christmas tree	Auracariaceae	3
76	Cycas circinalis		Cyacadaceae	2
77	Cycas revoluta		и	3